
		δ ම්කම් ඇවිරිණ් / முழுப் பதிப்புரிமையுடையது / A				
	J ලංකා වි Jහස්කෙස් Jepartmer J ලංකා වි Jහස්කෙස්	තිත්ත දෙපාර්තමේන්තුව ලී ලංකා විතාත දෙපාර්තමේන්තුව ப பரீட்சைத் திணைக்களம் இலங்கைப் பரீட்சைத் nt of Examinations , Sri Lanka Department of இலங்க තත දෙපාර්තමේන්තුව ලී ලංකා විතාන දෙපාර්තමේන්තුව ப பரீட்சைத் திணைக்களம் இலங்கைப் பரீட்சைத்	ento	Examinations, SHE	தாகு சேச்செர்ச் இலங்கைட் திணைக்களம் இலங்கைட்	ලංකා වනාග අදපාරක්ෂනතුව பரீட்சைத் திணைக்களம்
		අධායන පොදු සහතික கல்விப் பொதுத் தராதரப்	巴约	(උසස් පෙළ) විභාග බැ (ඉපාල් සල්ල්පාල්	றை. 2017 අමග∂¢ மீரை 2017 வாக	ජන <u> </u>
		General Certificate of Edu	cation	(Adv. Level) Exam	ination, August 2	017
	ഖിഖச	විද නව I ரய விஞ்ஞானம் I cultural Science I	08	EI	පැය දෙ இரண்டு Two ho	மணித்தியாலம்
1	Instr	uctions:	5.		30	$\overline{}$
	* *	Answer all the questions. Write your Index Number in the sp Instructions are given on the back of In each of the questions 1 to 50, pi is correct or most appropriate and on the number of the correct option the answer sheet.	f the ck on mark	answer sheet. Follow e of the alternatives j your response on the	those carefully. from (1), (2), (3), a answer sheet with	th a cross (x)
1	. Mos	st of the work of mixing humus with	nin the	e soil is done by		
		ants. (2) fungi.		W 1215 VENEZO	termites. (5)	earthworms.
2	(1)	genesis begins with the weathering of litter. C horizon.		humus. organic matter.	(3)	bedrock.
3	(1)	soil bulk density is widely used to texture, mineral content.	(2)	ate soil porosity. microbial activity.	(3)	structure.
4.	(1) (2) (3) (4)	the application of organic matter to physical properties of the soil are v cation exchange capacity is increase absorption of inorganic nutrients is particle density of the soil is increase nutrients in the soil get converted i	veaker d. hinder sed.	n. red.		
5.	(1) (3)	most suitable type/s of nursery bed/s raised beds. sunken beds. raised beds and flat beds.	(2)	low country wet zone flat beds. sunken beds and flat		
6.	(1)	highest 'field water efficiency' could basin irrigation. drip irrigation.	(2)	chieved from furrow irrigation. strip irrigation.	(3)	sprinkler irrigation.
7.	50%	ne net irrigation requirement of a par , gross irrigation requirement per day 05 mm (2) 10 mm	wou	ld be		ency of irrigation is 25 mm
8.	(1) (2) (3) (4)	dormancy helps seeds to reduce viability. development of healthy seeds. the plants to protect from pest attac preventing deterioration of seeds. the plants to overcome unfavourable		her condition.		
9.	(1) (3)	n seed is sown into soil, first thing is burst apart. take up oxygen.	(2)	s is take up water. commence photosynth	esis.	

10.	For all the photosynthetic activities are to be stopped, the gas that disappears from the atmosphere would be
	(1) oxygen. (2) helium. (3) nitrogen. (4) hydrogen. (5) carbon dioxide.
11.	The process of respiration in green plants occurs (1) at all times. (2) only when stomata are opened. (3) only when stomata are closed. (4) only when photosynthesis ceases. (5) only when photosynthesis is in progress.
12.	Transpiration is least when (1) wind velocity is high. (2) dry weather prevails. (3) the soil is in field capacity. (4) atmospheric humidity is high. (5) the ambient temperature is high.
13.	The major component of Boudreaux mixture is (1) sodium chloride. (2) copper sulphate. (3) calcium chloride. (4) potassium chloride. (5) magnesium sulphate.
14.	A particular herbicide remains active in the soil for a longer period after the application. This herbicide can be best described as (1) contact. (2) selective. (3) systemic. (4) pre-emergence.
15.	A student found a weed plant with narrow upright leaves containing parallel veins running the length of the leaf and having a fibrous root system. This weed could be (1) Acalypha indica. (2) Aerva lanata. (3) Amaranthus viridis. (4) Crotalaria juncea. (5) Axonopus compressus.
16.	Root knot diseases of vegetable crops are caused by (1) Meloidogyne. (2) Heterodera. (3) Pratylenchus. (4) Xanthomonas. (5) Phytopthera.
17.	The main advantage of using Dapog nursery in rice cultivation is (1) seedlings are short. (2) quantity of seeds required is less. (3) keeping time of the seedlings in the seedbed is reduced. (4) water management in the field is not required. (5) number of seedlings per hill can be easily controlled.
18.	A farm uses the inputs provided by various industries. Out of the following input industries found in Sri Lanka, an example for a natural monopoly is (1) fertilizer industry. (2) poultry feed industry. (3) agrochemicals industry. (4) electrical power industry. (5) agricultural machinery industry.
19.	Rainfall in Sri Lanka has multiple origins. Major origins of Sri Lankan annual rainfall are (1) Convective, Orographic and Strati-form rain (2) Orographic, Monsoonal and Convective rain (3) Monsoonal, Convectional and Orographic rain. (4) Strati-form, Convectional and Expressional rain. (5) Monsoonal, Convectional and Expressional rain.
20.	Crop water requirement mainly depend on (1) climate, type of crop and type of soil. (2) type of crop, type of soil and slope of the land. (3) climate, irrigation interval and slope of the land. (4) wind velocity, day length and duration of the crop in the field.

(5) irrigation interval, duration of the crop and day length.

- 21. Major objectives of the land preparation are
 - (1) to increase bulk density of the soil, decrease soil pH value and improve the drainage.
 - (2) to control weeds, improve the drainage and increase the soil aeration.
 - (3) to improve the true density of the soil, control weeds and control pests and diseases.
 - (4) to increase the soil aeration, improve the true density of the soil and decrease the soil pH value.
 - (5) to control pests and diseases, improve water holding capacity and increase bulk density of the soil.
- 22. A farmer wanted to prepare seeds of a particular crop for germination. He removed seeds from a fresh ripen fruit, squeezed the seeds from the jelly bag that covers each seed and dried them in a shady place. This crop should be
 - (1) mango.
- (2) melon.
- (3) papaya.
- (4) orange.
- (5) cucumber.

- Use the following diagram to answer question No. 23.
- 23. This vegetative propagation technique is called
 - (1) air layering.
 - (2) approach grafting.
 - (3) wedge grafting.
 - (4) tongue grafting.
 - (5) patch budding.



- 24. The types of gametes produce by a plant having genotype Gg Ww would be,
 - (1) GG, Gg, gg.

- (2) WW, Ww, ww.
- (3) Gw, GG, GW, WW

(4) GG, WW, gg, ww.

- (5) GW, gw, gW, Gw.
- 25. The most appropriate methods to control light and temperature in a poly tunnel established in low country in Sri Lanka are
 - (1) use of shade nets and misters, respectively.
 - (2) use of UV treated polythene and shade nets, respectively.
 - (3) use of shade nets and UV treated polythene, respectively.
 - (4) use of light colour polythene and shade nets, respectively.
 - (5) construction of poly tunnel under a shade and use of exhaust fans, respectively.
- 26. Introduction of parasites, predators or pathogens of the pests into the environment to reduce the pest population constitute
 - (1) mechanical control.

(2) biological control.

(3) autocidal control.

(4) ecological control.

- (5) agronomic control.
- 27. A farmer after applying a herbicide to his field, found that there are no details of the pre-harvest period on the label of the herbicide bottle. The best thing for him to do is **not to harvest** the crop until
 - (1) field is dry.

- (2) the next day morning.
- (3) the three days after application.
- (4) the one week after application.
- (5) the two weeks after application.
- 28. A poultry farmer observed a 25% drop in egg production in his layer flock during the month of December. The most possible reason for this observation could be
 - (1) short day length.

(2) molting of hens.

(3) cold environment.

- (4) insufficient feed given to hens.
- (5) cloudy environment.
- 29. Animal production in Sri Lanka can be badly affected by climate change. The animals that are more susceptible to climate change would be
 - (1) dairy cows in the hill country.
 - (2) ornamental fisheries in Kotmale area.
 - (3) local cattle in the Eastern province.
 - (4) broiler flocks reared in closed houses in Matale District.
 - (5) layer flocks reared in conventional deep litter houses in Anuradhapura District.

- 30. Local cattle have a very low productivity. The best way to upgrade local cattle is
 - (1) to do mass selection.
 - (2) to do artificial insemination.
 - (3) to do cross breeding with European breeds.
 - (4) to do selection first and then line breeding.
 - (5) to do cross breeding first with Indian breeds and then with European breeds.
- 31. If the administrative districts in Sri Lanka are ranked according to their poultry population, the first three districts having higher poultry populations would be
 - (1) Colombo, Kurunegala and Puttalam.
- (2) Colombo, Kurunegala and Gampaha.
- (3) Kurunegala, Gampaha and Puttalam.
- (4) Kurunegala, Kegalle and Anuradhapura.
- (5) Kurunegala, Gampaha and Anuradhapura.
- 32. Following are some statements on animal feeds.
 - A Fresh grass is a roughage feed which contains more than 18% crude fibre and 4 6% crude protein.
 - B The crude fibre content of any concentrate feed should be less than 18%.
 - C A protein supplement should always contain minimum 20% crude protein and small amount of crude fibre.

Of the above, the correct statement/s would be

(1) A only.

(2) B only.

(3) C only.

(4) A and C only.

- (5) B and C only.
- 33. The optimum temperature that should be maintained in the setter compartment of an egg incubator is
 - (1) 36.7 °C (98 °F).

- (2) 37.2 °C (99 °F).
- (3) 37.8 °C (100 °F).

(4) 38.3 °C (101 °F).

- (5) 38.9 °C (102 °F).
- 34. The newly borne calves should be fed with colostrum during first three days after birth. This is important because
 - (1) they do not eat grass.
 - (2) they are hungry soon after birth.
 - (3) normal milk is not much palatable to them.
 - (4) colostrum contains more nutrients than normal milk.
 - (5) colostrum contains nutrients that can be absorbed without digestion.
- 35. Artificial insemination of cattle is not much successful among ordinary dairy farmers in Sri Lanka because
 - (1) artificial insemination is very expensive.
 - (2) artificial insemination results more male births.
 - (3) farmers cannot correctly detect the heat of animals.
 - (4) farmers do not believe that it is a satisfactory technique.
 - (5) in most of the cases, artificial insemination is not done at correct time.
- 36. After proper stimulation, a dairy farmer took 10 minutes to complete milking of his cow. However, he did not get the expected amount of milk from the cow. The main reason for low milk yield could be
 - (1) the cow was under stress.
 - (2) the farmer was too slow in milking.
 - (3) the farmer had finished milking too early.
 - (4) the cow had not been fed enough on the previous day.
 - (5) the cow had not been given sufficient water for drinking.
- 37. The most significant reasons for the post harvest losses of fruits that are sold at road sides on open shelve is
 - (1) over stacking and physical damages.
 - (2) exposing to sunlight and high temperature.
 - (3) contaminating with dust and vehicle smoke.
 - (4) stacking of different types of fruits together.
 - (5) contaminating with microorganisms and poor sanitary conditions.
- 38. The two direct reasons for food spoilage are
 - (1) microbial actions and physical damages.
 - (2) pest attacks and poor post harvest handling.
 - (3) chemical reactions and poor storage conditions.
 - (4) microbial actions and enzyme activity of the food.
 - (5) harvesting before the maturity and poor storage conditions.

- 39. Following are some statements regarding dietary fiber.
 - A Dietary fiber is categorized as soluble and insoluble fiber.
 - B Dietary fiber encourages the growth of microorganisms in the colon.
 - C Dietary fiber helps to retain water during digestion.
 - D Absorption of nutrients at the digestive system is facilitated by dietary fiber.

Of the above, the correct statements are

(1) A, B and C only.

(2) A, B and D only.

(3) A, C and D only.

- (4) B, C and D only.
- (5) All A, B, C and D.
- 40. A poultry farmer recently purchased a hatchery unit for his farm. The correct statement with respect to his cost would be
 - (1) average cost will decrease.
 - (2) average fixed cost will increase.
 - (3) average variable cost will increase.
 - (4) total variable cost will decrease.
 - (5) marginal cost will increase.
- 41. If a 10% increase in price of 200 g butter pack leads to a 14% decrease in the quantity demanded, then the price elasticity of demand for butter is
 - (1) price elastic.

(2) price inelastic.

(3) unitary elastic.

- (4) perfectly price elastic.
- (5) perfectly price inelastic.
- 42. Following are some statements related to the grading and standardization of agricultural produce.
 - A Grading and standardization leads to shifting of the demand curve to the left.
 - B Grading and standardization leads to an increase in the average price of that produce.
 - C With the grading and standardization, the demands for high quality produce tend to be price elastic.

Of the above, the correct statement/s would be

(1) A only.

(2) B only.

(3) C only.

(4) A and B only.

- (5) B and C only.
- 43. A farmer faces with the following problems.
 - A The bean crop is affected by an unknown disease.
 - B The anicut, providing irrigation water to crop field is damaged.
 - C Lack of sufficient knowledge to inter-crop pepper with tea.

To find solutions to above problems, the government departments/agencies he should contact would be

- (1) Department of Agriculture, Department of Agrarian Development and Department of Export Agriculture, respectively.
- (2) Department of Agriculture, Irrigation Department and Department of Export Agriculture, respectively.
- (3) Department of Agriculture, Department of Agrarian Development and Tea Small Holding Development Authority, respectively.
- (4) Department of Agrarian Development, Irrigation Department and Department of Export Agriculture, respectively.
- (5) Department of Agrarian Development, Irrigation Department and Department of Agriculture, respectively.
- 44. Following are two statements regarding clay and silt particles of the soil.
 - A In general, higher the percentage of silt and clay particles in a soil, higher the water holding capacity.
 - B The clay and silt particles have a much larger surface area than the sand particles.


Of the above statements,

- (1) A is correct but B is incorrect.
- (2) A is incorrect but B is correct.
- (3) Both A and B are correct and B further explains A.
- (4) Both A and B are correct and A further explains B.
- (5) Both A and B are correct but have no relationship to each other.

- 45. Fertilizer use efficiency of inorganic fertilizer can be increased through,
 - (1) split application or application with organic manure or incorporated into the soil.
 - (2) application with organic manure or incorporated into the soil or application only at the time of crop maturity.
 - (3) incorporated into the soil or application as coated granule fertilizer or application only at the time of crop maturity.
 - (4) application as coated granule fertilizer or application only at the time of crop maturity or surface application.
 - (5) surface application or application with organic manure or application as coated granule fertilizer.
- 46. Following are some statements regarding plant nutrition.
 - A There are 9 essential nutrients and 6 non-essential nutrients important for plant nutrition.
 - B Essential nutrients are directly involved in plant nutrition and the life cycle of the plant cannot be completed without them.
 - C Micro-nutrients are important in plant nutrition but they are not essential.

Of the above, correct statement/s would be

- (1) *A* only.
- (2) B only.
- (3) C only.
- (4) A and B only. (5) A and C only.
- Use the given diagram to answer question No. 47.
- 47. The water lifting device shown in the diagram is named as
 - (1) Noria.
 - (2) Swing basket.
 - (3) Persian wheel.
 - (4) Counterpoise lift.
 - (5) Suspended scoop.



- 48. Following are few statements on post-harvest techniques of fruits.
 - A Fruits should be harvested at correct maturity.
 - B Suitable fungicide should be applied after harvesting.
 - C Fruits should be exposed to sunlight for one day after harvesting to reduce excess moisture.

Of the above, the correct statement/s would be

(1) A only.

(2) B only.

(3) C only.

(4) A and B only.

- (5) B and C only.
- 49. Following are some plants found in a home garden.
 - A Leafy vegetables
- B Sri Lanka almond (Kottamba)
- C Breadfruit
- D Yam
- E Anthurium
- F Manioc

Of the above, crops that ensure food security are

- (1) A, B, C and D only.
- (2) A, C, D and E only.
- (3) A, C, D and F only.
- (4) B, D, E and F only.
- (5) C, D, E and F only.
- 50. Following are some statements related to price controls.
 - A Effective price floors for agricultural produce are accompanied with surpluses.
 - B Effective price ceilings for food commodities lead to shortages in the market.
 - C In general price controls (ceilings or floors) lead to increase the volume of transaction compared to the situation without control.

Of the above, the correct statement/s would be

(1) A only.

(2) B only.

(3) C only.

(4) A and B only.

(5) B and C only.

සියලු ම හිමිකම් ඇවිරිණි/மුඟුට பதிப்புநிமையுடையது/All Rights Reserved]

இலங்கைப் பரீட்சைத் திணைக்களம் இலங்கைப் ப**டக்கத் திணைக்களம் இலங்கைப் பரீட்சைத் திணைக்களம்** இலங்கைப் பரீட்சைத் திணைக்களம் Department of Examinations, Sri Lanka Department of Examinations, Sri Lan

ஈப்பானை சைப்பூ கலகின் அனு (උසස් පෙළ) சீலம்க, 2017 අගෝස්තු கல்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2017 ஓகஸ்ற் General Certificate of Education (Adv. Level) Examination, August 2017

කෘෂි විදාහාව II ඛාඛන III බාල්ලා හෝ II Agricultural Science II

	ון ישון	
VO		▎█▓▗▏
$\sqrt{}$	ارست	()

පැය තුනයි மூன்று மணித்தியாலம் Three hours

Index	No.	:	

Instructions:

- * This question paper consists of 10 questions in 08 pages.
- * This question paper comprises Part A and Part B. The time allotted for both parts is three hours.

PART A - Structured Essay (Pages 2-7)

- * Answer all four questions on this paper itself.
- * Write your answers in the space provided for each question. Note that the space provided is sufficient for your answers and extensive answers are not expected.

PART B — Essay (Page 8)

- * Answer four questions only. Use the papers supplied for this purpose. At the end of the time allotted for this paper, tie the two parts together so that Part A is on the top of Part B before handing over to the supervisor.
- * You are permitted to remove only Part B of the question paper from the Examination Hall.

For Examiners' Use only

In Numbers
In Letters

	(08) Agricultural S	cience - II
Part	Question No.	Marks
	1	
A	2	
	3	
	4	
	5	
	6	
В	7	
	8	
	9	
	10	
Total		
Percentage		

Final Marks

	Code Numbers
Marking Examiner 1	<u> </u>
Marking Examiner 2	
Marks checked by	
Supervised by	

Part A - Structured Essay Answer all questions on this paper itself. (Each question carries 10 marks.)

Do not write in this column

	(Luci question carries 20 mans)	in thi
. (A)	Agro-climatic and agro-ecological zones are considered in crop recommendations for cul	tivation. colum
	(i) State two major factors considered in classification of agro-ecological zones in St	
	(1)	
	(2)	
	(ii) Name a plantation crop grown in each of the following major agro-climatic zone Agro-climatic zone Plantation Crop	es.
	(1) Wet zone	
	(2) Dry zone	
(B)	Chemical properties of a soil have a direct effect on crop growth.	
	(i) List three major soil chemical properties affecting crop growth.	
	(1)	
	(2)	
	(3)	
	(ii) What is the main importance of Cation Exchange Capacity (CEC) of a soil?	
(C)	Application of soil conservation methods is important to maintain the soil fertility. I	\
(C)	physical soil conservation methods.	
	(i)	
	(ii)	
	(iii)	
(D)	Legume plants can fix atmospheric nitrogen through symbiosis with bacteria species.	
(-)	(i) Name a bacteria species responsible for nitrogen fixation in legume plants.	
	(ii) List two main plant nutrients required for nitrogen fixation in legume plants.	
	(1)	
	(2)	
(E)	Application of organic manure to the soil has many advantages. List three main advantages applying organic manure to the soil.	antages of
	(i)	
	(ii)	
	(iii)	
/D	State whether the following statements are true (T) or false (F).	
(L		(T/F)
	(i) Main fertilizer available in Sri Lankan market for hydroponic crop culture	()
	is Albert's solution.	()
	(II) Causal agent of leaf cult disease of child is reasonable	()
		()

(G)	Cro	p liv	estock i	and a common furning system practiced in St. Lanka.	Do not write
	(i)	State	e two n	main advantages of crop livestock integration.	in this
		(1)		••••••	column
		(2)			
	(ii)	State	two c	common crop livestock systems found in Sri Lanka.	
		(1)			
		(2)			
2. (A)	The diag	follo ram 1	wing di to answ	liagram shows what happen to the rainwater received to a crop field. Use this ver questions (i) and (ii).	
				S S P P P P P P P P P P P P P P P P P P	
	(i)	Nan	ne the p	processes labelled as P, Q, R, S and T in the diagram. Name	:
		(1)	P		
		(2)	Q		
		(3)	R		
		(4)	S		
		(5)	\mathbf{T}		
	(ii)	Writ	e an eq	quation to calculate effective rainfall, using the above symbols.	
(B)	Surfa	ce in		systems can be classified as controlled and uncontrolled irrigation systems.	
				ontrolled surface irrigation systems.	
		(1) .			
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	(ii)	State		nain advantages of using controlled surface irrigation compared to uncontrolled	
		(1)			

	(C)	Vege	etative propagation has become a popular propagation technique in horticulture and floriculture. State two main advantages of vegetative propagation.	Do not write in this	
		(1)		column	
			(1)		
			(2)		
		(ii)	State two main disadvantages of vegetative propagation.		
			(1)		
			(2)		
		(iii)	Name a crop propagated by each of the following natural vegetative structures. Natural vegetative structure Crop		
			(1) Rhizome		
			(2) Runners		
			(3) Suckers		
		(iv)	List two artificial vegetative propagation techniques commonly used in horticulture and floriculture.		
			(1)		
			(2)		
	(D)	Inter	e-cropping is the cultivation of two or more crops simultaneously on the same field.		İ
			State two factors to be considered in selecting component crops for inter-cropping.]	
			(1)		ĺ
			(2)		
		(ii)	Name two different crop combinations that could be intercropped.		İ
		(11)	Main crop Intercrop		
			(1)		İ
			(2)		
3.	(A)	Exp	ort agricultural sector plays an important role in Sri Lankan economy.		
		(i)	List three major non-plantation export crops grown in Sri Lanka.		
			(1)		
			(2)		
			(3)		
 - 		(ii)	List two major problems specific to non-plantation export agricultural crop sector in Sri Lanka.		
			(1)		
			(2)		
	(B)	In j	plant breeding, creation of a genetic variation is important to select the best genotypes. the two methods to create genetic variation.		

(ii)		produced in silage which helps to preserve forage.
		carried out. Write the main reason/purpose for each of
	Activity	Main reason/purpose
(i)) Turning of eggs during incubation	
(ii)	Adding glucose and vitamin B to drinking water given to chicks during the first day of brooding	
(iii)) Adding sand or gravel to layer diet	
(iv)) Dipping of teats in a potassium	
	permanganate (KMnO ₄) solution at the end of milking a cow	
of o	uses cause diseases in farm animals the each cattle and poultry. Cattle	nat are economically devastating. List two viral diseases
	(1)	
(ii)	Poultry	
()	•	•••••
		stive tract of a chicken. Use this diagram to answer
que.	estions (i) to (iv).	-s
Nar and	me the parts of the digestive tract of S parts of the above diagram.	a cattle that are functionally similar to each P, Q, R
and	Functionally six	milar parts of the digestive tract of a cattle
und	Functionally sit	L. Carlotte and the control of the c
. (i)	P	
•		
(i)	PQ	

	(G)	of o	the four main steps (in correct order) to be followed in milking a cow to obtain high yield quality milk.	Do not write in this
		(i)	,	column
		(ii)		
		(iii)		
		(iv)		
4.	(A)	bene	pest management, it is important to control the pest while minimizing the damage to the eficial animals.	
		(i)	What is the first step to be followed in planning a successful pest control program?	
		(ii)	Name the breakeven point at which the cost of pest control equals the revenue loss caused by a pest.	
		(iii)	What is the main environmental factor that the farmer should consider before spraying pesticides to his field?	
		(iv)	State the function of surfactants in pesticide application.	
		(v)	What is the pre-harvest interval?	
	(B)		ds contribute to a significant yield loss in agricultural fields. State the main difference between annual weeds and biannual weeds?	
		(ii)	What type of herbicide is best for controlling perennial weeds?	
		GHA	State two advantages of weeds.	
		(1111)	(1)	
			(2)	
	(C)		e two major reasons as to how postharvest losses reduce when fruits are harvested at correct arity stage.	
		(i)		
		(ii)		
	(D)	State	e how spoilage microorganisms in foods get affected by following preservation treatments.	
		(i)	Pasteurization	
		(ii)	Sterilization	
		(iii)	Refrigeration	
		(iv)	Freezing	

(E)	State three benefits of a good market information system to the farmers.	Do not
	(i)	write in this
	(ii)	column
	(iii)	
(F)	State three external factors that influence small scale agribusinesses.	
	(i)	
	(ii)	
	(iii)	
(G)	Maintenance of farm records is important. List two each financial and physical records that should be maintained in a farm. (i) Financial records	
	(1)	
	(ii) Physical records	
	(1)	
	(2)	
	Ne ste	
	* *	

සියලු ම හිමිකම් ඇවිරිණි/(மුඟුට பதிப்புரிமையுடையது/All Rights Reserved]

ලි ලංකා විතාය දෙපාර්තමේන්තුව ලී ලංකා විතාය දෙපාර්ත**ල් වැනි කිරීම ලිදුවාල ලෙප පාල්තාල්ව නිය** ඉදාර්තමේන්තුව ලී ලංකා විතාය දෙපාර්තමේන්තුව இலங்கைப் பழீட்சைத் திணைக்களம் இலங்கைப் பළ[©] ඉදිනි නියන්ත් විතාන්ත් විතාන්ත්ව විතා

> අධායන පොදු සහතික පතු (උසස් පෙළ) විභාගය, 2017 අගෝස්තු கல்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2017 ஓகஸ்ற் General Certificate of Education (Adv. Level) Examination, August 2017

කෘෂි විදහාව II ඛාඛත III බාණුණා II Agricultural Science II



Part B - Essay

Instructions:

- * Answer four questions only.
- * Give clearly labelled diagrams where necessary. Each question carries 15 marks.
- 5. (i) Explain how physical properties of soil affect on crop cultivation.
 - (ii) State malnutrition problems found in Sri Lanka and explain how can they be detected and overcome.
 - (iii) Describe the importance of practicing Integrated Plant Nutrient Management (IPNM) in crop production.
- **6**. (i) Explain the importance of applying correct pre-treatments to the harvested crop, to minimize its post-harvest losses.
 - (ii) Describe the importance of using 'Controlled Agriculture' as an alternative crop production method to overcome the impact of climate change.
 - (iii) Describe the importance of land preparation in crop cultivation.
- 7. (i) Explain the importance of Auxin on crop growth.
 - (ii) Explain how a flock of laying hens should be reared from point of lay until the end of egg production.
 - (iii) Describe the soil conservation methods used in sloppy lands.
- 8. (i) Explain the techniques used to increase the water use efficiency in crop cultivation.
 - (ii) Describe the method of micro-propagation of plants and its advantages.
 - (iii) Describe how the main components of the feed get digested and absorbed in a digestive tract of a poultry bird.
- 9. (i) Explain different drainage methods used in agricultural lands.
 - (ii) Describe the factors to be considered in designing a suitable house for dairy cattle.
 - (iii) Describe different agricultural markets operate in Sri Lanka for annual crops.
- 10. (i) Describe the methods used to control transpiration losses of crops.
 - (ii) Describe the main agriculture and land related acts and ordinances introduced in post-independent Sri Lanka.
 - (iii) Describe the propagation structures used in water conservation.